Nuclear Engineering and Design 109 (1988) 457–459
North-Holland, Amsterdam

AUTHOR INDEX TO VOLUME 109

Arndt, E., see Baust 109 (1988) 181
Arnold, W.H., R.M. Vijuk, W.R. Shingler and M.C. Gross, A 10 MWe Pressurized Water Reactor for safe and reliable power 109 (1988) 65

Barnert, H. and J. Singh, Design evaluation of a small High-Temperature Reactor for process heat applications 109 (1988) 245
Barthels, H., see Iniotakis 109 (1988) 313
Bäumer, R., see Schwarz 109 (1988) 199
Baust, E. and E. Arndt, Status of the HTR 500 design program 109 (1988) 181
Baxter, A.M., see Turner 109 (1988) 227
Berglund, R.C., see Salerno 109 (1988) 79
Bogen, J. and D. Stölzl, The challenge of introducing High-Temperature-Reactor plants onto the international power plant market 109 (1988) 381
Bongartz, R., see Wolters 109 (1988) 289
Brandes, S. and W. Kohl, Design and application of the HTR-100 industrial nuclear power plant 109 (1988) 107
Burgsmüller, P., A. Jacobi Jr., J.F. Jaeger, M.J. Kläntschi, W. Seifritz, F. Vuilleumier and F. Wegmann, The Swiss Heating Reactor (SHR) for district heating of small communities 109 (1988) 129

Cacciabue, P.C., Evaluation of human factors and man–machine problems in the safety of Nuclear Power Plants 109 (1988) 417
Caira, M., M. Cumo, A. Naviglio and S. Socrate, Mars II: a design improvement to reduce construction time and cost 109 (1988) 213
Candeli, R., S.F. Garribba, U. Hansen, J.C. Lefèvre, D. Leuchs, R. Schön and C. Vivante, Market potential of Small and Medium-Size Nuclear Reactors as combined heat and power plants in Europe 109 (1988) 373
Candlish, J.R., Advances in constructability 109 (1988) 171
Caruso, G., M. Cumo, L. De Jaco and A. Naviglio, Safety characteristics of the Mars nuclear plant 109 (1988) 207
Cumo, M., see Caruso 109 (1988) 207
Cumo, M., see Caira 109 (1988) 213
Cunliffe, J., see Silady 109 (1988) 273

Dau, G.J., see Taylor 109 (1988) 19
De Jaco, L., see Caruso 109 (1988) 207
Dörfler, U., see Herzog 109 (1988) 37
Doroszlai, P.G.K., see Vécsey 109 (1988) 141
Duncan, J.D., SBWR – a Simplified Boiling Water Reactor 109 (1988) 73

Elter, C., see Schöning 109 (1988) 189

Frischengruber, K., see González 109 (1988) 55

Garribba, S.F., see Candeli 109 (1988) 373
Goetzmann, C., Low specific capital cost: The design problem of small reactors 109 (1988) 11
Golan, S., see Johnson 109 (1988) 87
González, A.J., K. Frischengruber, J.A. Recalde, R.B. Solanilla and R.C. Vanzulli, ARGOS PHWR-380 – Argentine offer of a safer Pressurized Heavy-Water Reactor of 380 MW 109 (1988) 55
Graf, D.V., see Neylan 109 (1988) 99
Gremm, O., On the safety goal for small reactors 109 (1988) 329
Gross, M.C., see Arnold 109 (1988) 65
Guenther, E., see Johnson 109 (1988) 87
Gyorey, G.L., see Salerno 109 (1988) 79

Hall, A.N., Outline of a new thermodynamic model of energetic fuel–coolant interactions 109 (1988) 407
Hansen, U., see Candeli 109 (1988) 373
Hardie, R.W. and S.V. Jackson, US market potential for Small and Medium-Sized Nuclear Reactors 109 (1988) 365
Hart, R.S., CANDU 300: the economic small reactor 109 (1988) 47
Hatamiya, S., see Suzuki 109 (1988) 399
Hayashi, T., see Mankin 109 (1988) 355
Herrnberger, V., see Jacobi Jr. 109 (1988) 321
Herzog, G., U. Dörfler and F. Loos, The PHWR of KWU as appropriate type of the SMPR-Class 109 (1988) 37
Hewitt, J.S., The AMPS 1.5 MW Low-Pressure Compact Reactor 109 (1988) 135
Hosegood, S.B., An independent engineer's view of the Modular HTGR 109 (1988) 221
Hrovat, M., H. Huschka, A.-W. Mehner and W. Warzawa, Spherical fuel elements for Small and Medium Sized HTR 109 (1988) 253
Huschka, H., see Hrovat 109 (1988) 253

Iniotakis, N. and C.B. von der Decken, Radiological consequences of a depressuriza-

tion accident combined with water ingress in an HTR Module-200 109 (1988) 299
Iniotakis, N., H. Barthels and C.B. von der Decken, The retardation of the released fission products deriving from graphite structures during a hypothetical HTR-500 accident 109 (1988) 313
Ivens, G., see Krüger 109 (1988) 233

Jackson, S.V., see Hardie 109 (1988) 365
Jacobi Jr., A., see Burgsmüller 109 (1988) 129
Jacobi Jr., A., V. Herrnberger, J.F. Jaeger and K. Lieber, Safety assessment and radiation protection aspects of the Swiss Heating Reactor (SHR) 109 (1988) 321
Jaeger, J.F., see Burgsmüller 109 (1988) 129
Jaeger, J.F., see Jacobi Jr. 109 (1988) 321
Jahn, W., see Rehm 109 (1988) 281
Jahn, W., see Wolters 109 (1988) 289
Johnson, R.A., S. Golan and E. Guenther, SAFR: an economic, inherently safe Liquid Metal Reactor 109 (1988) 87

Kelley Jr., A.P., see Silady 109 (1988) 273
Kirch, N., see Krüger 109 (1988) 233
Kläntschi, M.J., see Burgsmüller 109 (1988) 129
Knizia, K. and D. Schwarz, The High Temperature Reactor – An important tool in meeting the challenge of world energy supply 109 (1988) 31
Kohl, W., see Brander 109 (1988) 107
Konstantinov, L.V. and J. Kupitz, The status of development of Small and Medium Sized Reactors 109 (1988) 5
Kukkola, T., A possible Finnish alternative 109 (1988) 155
Kupitz, J., see Konstantinov 109 (1988) 5
Kröger, W., Non-catastrophic release requirements for the next generation of nuclear power plants 109 (1988) 295
Krüger, K., G. Ivens and N. Kirch, Operational experience and safety experiments with the AVR power station 109 (1988) 233

Lefèvre, J.C., see Candeli 109 (1988) 373
Leuchs, D., see Candeli 109 (1988) 373
Lieber, K., see Jacobi Jr. 109 (1988) 321
Lohnert, G.H., H. Nabielek and W. Schenk, The fuel element of the HTR-Module, a prerequisite of an inherently safe reactor 109 (1988) 257
Loos, F, see Herzog 109 (1988) 37
Lynch, G.F., see McDougall 109 (1988) 349

Mankin, S., O. Sato, S. Yasukawa and T. Hayashi, Economic perspectives of SMSNRs in the energy market of Japan 109 (1988) 355
McDougall, D.S. and G.F. Lynch, The keys to success in marketing Small Heating Reactors 109 (1988) 349
Mehner, A.-W., see Hrovat 109 (1988) 253
Millunzi, A.C., see Neylan 109 (1988) 99
Millunzi, A.C., see Silady 109 (1988) 273
Moormann, R., see Wolters 109 (1988) 289
Murase, M., see Suzuki 109 (1988) 399

Nabielek, H., see Lohnert 109 (1988) 257
Naviglio, A., see Caruso 109 (1988) 207
Naviglio, A., see Caira 109 (1988) 213
Neylan, A.J., D.V. Graf and A.C. Millunzi, The Modular High Temperature Gas Gas-Cooled Reactor (MHTGR) in the U.S. 109 (1988) 99
Noble, D.M., see Taylor 109 (1988) 19
Northup, T.E. and S. Penfield, Perspective on deployment of Modular High Temperature Gas-Cooled Power Plants 109 (1988) 23

Penfield, S, see Northup 109 (1988) 23
Podest, M., Reactors for low-temperature nuclear heat supply 109 (1988) 115

Recalde, J.A., see González 109 (1988) 55
Reutler, H., Plant design and safety concept of the HTR-Module 109 (1988) 335
Rehm, W., W. Jahn and K. Verfondern, Present results and further developments on safety analysis of small and medium-sized HTRS for core heat-up accidents 109 (1988) 281
Ribbat, B., see Sommes 109 (1988) 123

Salerno, L.N., R.C. Berglund, G.L. Gyorey, F.E. Tippets and P.M. Tschamper, PRISM Concept, Modular LMR reactors 109 (1988) 79
Salmonte, A.J., Evaluation of secondary and higher order response facets in Response Spectrum Analysis 109 (1988) 433
Sato, O., see Mankin 109 (1988) 355
Schad, M., Concept of nuclear heat supply for oil refineries 109 (1988) 239
Schenk, W., see Lohnert 109 (1988) 257
Schön, R., see Candeli 109 (1988) 373
Schöning, J. and C. Elter, Design characteristics of the HTR 500 reactor components 109 (1988) 189
Schulz, T.L., see Tower 109 (1988) 147
Schwarz, D., see Knizia 109 (1988) 31
Schwarz, D. and R. Bäumer, THTR operating experience 109 (1988) 199
Seifritz, W., see Burgsmüller 109 (1988) 129
Seth, V.K., Design features of reactor assembly and structures of Indian 500 MWe PHWR stations 109 (1988) 163
Shahid, S.H., Prospects of Small and Medium Sized Power Reactors in Pakistan 109 (1988) 387
Shingler, W.R., see Arnold 109 (1988) 65
Silady, F.A., A.C. Millunzi, A.P. Kelley Jr. and J. Cunliffe, Safety and licensing of MHTGR 109 (1988) 273

Singh, J., see Barnert 109 (1988) 245
Socrate, S., see Caira 109 (1988) 213
Solanilla, R.B., see González 109 (1988) 55
Sommer, H. and B. Ribbat, GHR 10 MW: the technical concept of the Gas-cooled Heating Reactor 109 (1988) 123
Stahlkopf, K.E., see Taylor 109 (1988) 19
Stansfield, O.M., see Turner 109 (1988) 227
Stölzl, D., see Bogen 109 (1988) 381
Suzuki, H., S. Hatamiya and M. Murase, Parallel channel effects under BWR LOCA conditions 109 (1988) 399

Tippets, F.E., see Salerno 109 (1988) 79
Tower, S.N., T.L. Schulz and R.P. Vijuk, Passive and simplified system features for the Advanced Westinghouse 600 MWe PWR 109 (1988) 147
Trauger, D.B., Safety and licensing for Small and Medium Power Reactors 109 (1988) 267
Tschamper, P.M., see Salerno 109 (1988) 79
Turner, R.F., A.M. Baxter, O.M. Stansfield and R.E. Vollman, Annular core for Modular High-Temperature Gas-cooled Reactor (MHTGR) 109 (1988) 227
Taylor, J.J., K.E. Stahlkopf, D.M. Noble and G.J. Dau, LWR development in the USA 109 (1988) 19

Vanzulli, R.C., see González 109 (1988) 55
Vécsey, G. and P.G.K. Doroszlai, GEYSER, a simple, new heating reactor of high inherent safety 109 (1988) 141
Verfondern, K., see Rehm 109 (1988) 281
Vijuk, R.M., see Arnold 109 (1988) 65
Vijuk, R.P., see Tower 109 (1988) 147
Vivante, C., see Candeli 109 (1988) 373
Vollman, R.E., see Turner 109 (1988) 227
Von der Decken, C.B., see Iniotakis 109 (1988) 299
Von der Decken, C.B., see Iniotakis 109 (1988) 313
Vuilleumier, F., see Burgsmüller 109 (1988) 129

Wachholz, W., The safety characteristics of the HTR 500 reactor plant 109 (1988) 307
Wald, F., Small And Medium Power Reactors in developing countries – Present status 109 (1988) 343
Warzawa, W., see Hrovat 109 (1988) 253
Wegmann, F., see Burgsmüller 109 (1988) 129
Wolters, J., R. Bongartz, W. Jahn and R. Moormann, The significance of water ingress accidents in small HTRs 109 (1988) 289

Yasukawa, S., see Mankin 109 (1988) 355

Nuclear Engineering and Design 109 (1988) 461–463
North-Holland, Amsterdam

SUBJECT INDEX TO VOLUME 109

Thermal and fluid design

Outline of a new thermodynamic model of energetic fuel–coolant interactions, A.N. Hall 109 (1988) 407
Parallel channel effects under BWR LOCA conditions, H. Suzuki, S. Hatamiya and M. Murase 109 (1988) 399

Engineering mechanics

Evaluation of secondary and higher order response facets in Response Spectrum Analysis, A.J. Salmonte 109 (1988) 433

Mechanical design, component fabrication and testing

Design characteristics of the HTR 500 reactor components, J. Schöning and C. Elter 109 (1988) 189

Reactor concepts and systems analysis

The status of development of small and medium sized reactors, L.V. Konstantinov and J. Kupitz 109 (1988) 5
Low specific capital cost: The design problem of small reactors, C. Goetzmann 109 (1988) 11
LWR development in the USA, J.J. Taylor, K.E. Stahlkopf, D.M. Noble and G.J. Dau 109 (1988) 19
The High Temperature Reactor – An important tool in meeting the challenge of world energy supply, K. Knizia and D. Schwarz 109 (1988) 31
The PHWR of KWU as appropriate type of the SMPR-Class, G. Herzog, U. Dörfler and F. Loos 109 (1988) 37
CANDU 300: the economic small reactor, R.S. Hart 109 (1988) 47
ARGOS PHWR-380 – Argentine offer of a safer Pressurized Heavy-Water Reactor of 380 MW, A.J. González, K. Frischengruber, J.A. Recalde, R.B. Solanilla and R.C. Vanzulli 109 (1988) 55
A 10 MWe Pressurized Water Reactor for safe and reliable power, W.H. Arnold, R.M. Vijuk, W.R. Shingler and M.C. Gross 109 (1988) 65
SBWR – a Simplified Boiling Water Reactor, J.D. Duncan 109 (1988) 73
PRISM Concept, Modular LMR reactors, L.N. Salerno, R.C. Berlund, G.L. Gyorey, F.E. Tippets and P.M. Tschamper 109 (1988) 79
SAFR: an economic, inherently safe Liquid Metal Reactor, R.A. Johnson, S. Golan and E. Guenther 109 (1988) 87
Design and application of the HTR-100 industrial nuclear power plant, S. Brandes and W. Kohl 109 (1988) 107
Reactors for low-temperature nuclear heat supply, M. Podest 109 (1988) 115
GHR 10 MW: the technical concept of the Gas-cooled Heating Reactor, H. Sommer and B. Ribbat 109 (1988) 123
The Swiss Heating Reactor (SHR) for district heating of small communities, P. Burgsmüller, A. Jacobi Jr., J.F. Jaeger, M.J. Kläntschi, W. Seifritz, F. Vuilleumier and F. Wegmann 109 (1988) 129
The AMPS 1.5 MW low-pressure compact Reactor, J.S. Hewitt 109 (1988) 135
GEYSER, a simple, new heating reactor of high inherent safety, G. Vécsey and P.G.K. Doroszlai 109 (1988) 141
Passive and simplified system features for the Advanced Westinghouse 600 MWe PWR, S.N. Tower, T.L. Schulz and R.P. Vijuk 109 (1988) 147
A possible Finnish alternative, T. Kukkola 109 (1988) 155
Design features of reactor assembly and structures of Indian 500 MWe PHWR stations, V.K. Seth 109 (1988) 163
Advances in contructability, J.R. Candlish 109 (1988) 171
Status of the HTR 500 design program, E. Baust and E. Arndt 109 (1988) 181
Safety characteristics of the Mars nuclear plant, G. Caruso, M. Cumo, L. De Jaco and A. Naviglio 109 (1988) 207
Mars II: a design improvement to reduce construction time and cost, M. Caira, M. Cumo, A. Naviglio and S. Socrate 109 (1988) 213
An independent engineer's view of the Modular HTGR, S.B. Hosegood 109 (1988) 221
Operational experience and safety experiments with the AVR power station, K. Krüger, G. Ivens and N. Kirch 109 (1988) 233
Concept of nuclear heat supply for oil refineries, M. Schad 109 (1988) 239
Design evaluation of a small High-Temperature Reactor for process heat applications, H. Barnert and J. Singh 109 (1988) 245

Present results and further developments on safety analysis of small and medium-sized HTRS for core heat-Up accidents, W. Rehm, W. Jahn and K. Verfondern 109 (1988) 281
The significance of water ingress accidents in small HTRs, J. Wolters, R. Bongartz, W. Jahn and R. Moormann 109 (1988) 289
The safety characteristics of the HTR 500 reactor plant, W. Wachholz 109 (1988) 307
Safety assessment and radiation protection aspects of the Swiss Heating Reactor (SHR), A. Jacobi Jr., V. Herrnberger, J.F. Jaeger and K. Lieber 109 (1988) 321
On the safety goal for small reactors, O. Gremm 109 (1988) 329

Safeguard engineering

Safety and licensing of MHTGR, F.A. Silady, A.C. Millunzi, A.P. Kelley Jr. and J. Cunliffe 109 (1988) 273
Present results and further developments on safety analysis of small and medium-sized HTRS for core heat-up accidents, W. Rehm, W. Jahn and K. Verfondern 109 (1988) 281
Non-catastrophic release requirements for the next generation of nuclear power plants 109 (1988) 295
Radiological consequences of a depressurization accident combined with water ingress in an HTR module-200, N. Iniotakis and C.B. von der Decken 109 (1988) 299
The retardation of the released fission products deriving from graphite structures during a hypothetical HTR-500 accident, N. Iniotakis, H. Barthels and C.B. von der Decken 109 (1988) 313

Layout of nuclear facilities

Plant design and safety concept of the HTR-Module, H. Reutler 109 (1988) 335

Miscellaneous

Perspectives on development of Modular High Temperature Gas-Cooled Power Plants, T.E. Northup and S. Penfield 109 (1988) 23
The Modular High Temperature Gas Gas-cooled Reactor (MHTGR) in the U.S., A.J. Neylan, D.V. Graf and A.C. Millunzi 109 (1988) 99
Small and Medium Power Reactors in developing countries – Present Status, F. Wald 109 (1988) 343
The keys to success in marketing Small Heating Reactors, D.S. McDougall and G.F. Lynch 109 (1988) 349
Economic perspectives of SMSNRs in the energy market of Japan, S. Mankin, O. Sato, S. Yasukawa and T. Hayashi 109 (1988) 355
US market potential for Small and Medium-Sized Nuclear Reactors, R.W. Hardie and S.V. Jackson 109 (1988) 365
Market potential of Small and Medium-Size Nuclear Reactors as combined heat and power plants in Europe, R. Candeli, S.F. Garribba, U. Hansen, J.C. Lefèvre, D. Leuchs, R. Schön and C. Vivante 109 (1988) 373
The challenge of introducing High-Temperature-Reactor plants onto the international power plant market, J. Bogen and D. Stölzl 109 (1988) 381
Prospects of Small and Medium Sized Power Reactors in Pakistan, S.H. Shahid 109 (1988) 387

Core physics and fuel design

Annular core for modular High-Temperature Gas-cooled Reactor (MHTGR), R.F. Turner, A.M. Baxter, O.M. Stansfield and R.E. Vollman 109 (1988) 227
Spherical fuel elements for Small and Medium Sized HTR, M. Hrovat, H. Huschka, A.-W. Mehner and W. Warzawa 109 (1988) 253
The fuel element of the HTR-Module, a prerequisite of an inherently safe reactor, G.H. Lohnert, H. Nabielek and W. Schenk 109 (1988) 257

Nuclear safety

GEYSER, a simple, new heating reactor of high inherent safety, G. Vécsey and P.G.K. Doroszlai 109 (1988) 141
THTR operating experience, D. Schwarz and R. Bäumer 109 (1988) 199
Operational experience and safety experiments with the AVR power station, K. Krüger, G. Ivens and N. Kirch 109 (1988) 233
Safety and licensing for Small and Medium Power Reactors, D.B. Trauger 109 (1988) 267
Safety and licensing of MHTGR, F.A. Silady, A.C. Millunzi, A.P. Kelley Jr. and J. Cunliffe 109 (1988) 273
The significance of water ingress accidents in small HTRs, J. Wolters, R. Bongartz, W. Jahn and R. Moormann 109 (1988) 289
Non-catastrophic release requirements for the next generation of nuclear power plants, W. Kröger 109 (1988) 295
Radiological consequences of a depressurization accident combined with water ingress in an HTR Module-200, N. Iniotakis and C.B. von der Decken 109 (1988) 299
The safety characteristics of the HTR 500 reactor plant, W. Wachholz 109 (1988) 307
The retardation of the released fission products deriving from graphite structures

during a hypothetical HTR-500 accident, N. Iniotakis, H. Barthels and C.B. von der Decken 109 (1988) 313
Safety assessment and radiation protection aspects of the Swiss Heating Reactor (SHR), A. Jacobi Jr., V. Herrnberger, J.F. Jaeger and K. Lieber 109 (1988) 321
On the safety goal for small reactors, O. Gremm 109 (1988) 329
Plant design and safety concept of the HTR-Module, H. Reutler 109 (1988) 335
Parallel channel effects under BWR LOCA conditions, H. Suzuki, S. Hatamiya and M. Murase 109 (1988) 399
Outline of a new thermodynamic model of energetic fuel–coolant interactions, A.N. Hall 109 (1988) 407
Evaluation of human factors and man–machine problems in the safety of Nuclear Power Plants, P.C. Cacciabue 109 (1988) 417